

# Beam Clamp

## Model: SD-CBC

Beam Clamps are designed to clamp hanger rod to the beam's top flange or bar joist. Universal open U design allows for adjustments and permissible to use in an inverted position on the bottom flange of the beam also.



## Product Specifications:


Available Size	3/8" - 1/2"
Material	Ductile Iron, Malleable Iron
Standards	ASTM B633
Application	Water, HVAC & Fire-Fighting
Coating Finish	Electro-Galvanized as per ASTM B633 Standards
Approvals/Listings	<p>Manufacturers Standardization Society ANSI/MSS SP-69 (Type 19 &amp; 23)            Federal Specification WW-H-171E (Type 23) &amp; A-A-1192A (Type 19 &amp; 23)            UL Listed &amp; FM Approved</p> <div style="display: flex; justify-content: center; align-items: center; gap: 20px;"> <div style="text-align: center;">   <b>LISTED</b> </div> <div style="text-align: center;">   <b>APPROVED</b> </div> </div>

# Beam Clamp

## Product Dimensions:

Models	A Inch (mm)	Dimensions				Max. Pipe Size	Max. Load
		B mm	C mm	D mm	E mm	Inch	Kg
SD-CBC/CBCA 110	3/8 (10)	21.00	40.00	49.0	42.00	4	250
SD-CBC/CBCA 115	1/2 (12)	25.00	42.50	52.0	49.00	8	750

- Note:
- Measurements are subject to 5% tolerance.
  - Other Sizes available on request.
  - Hot Dipped Galvanized can be supplied upon request.



# Beam Clamp

## Miscellaneous Data:

### 1. Ordering Information

Example: SD-CBC-1-12

- SD-CBC is the part number
- (1) Electro-Galvanized Coating
- (12) Size

### 2. Contact Information

For further information on any aspect of the SHIELD Pipe Supports please contact below:

MIDDLE EAST & AFRICA	UNITED KINGDOM
Jebel Ali Free Zone, Dubai, UAE P.O Box: 61199 Tel.: +971 4 881 2070 Fax: +971 4 881 2198 Email: shieldme@shielglobal.com	Unit 3, Endeavor Drive, Basildon-Essex, SS3 14WF Tel.: +44 1708 377731 Fax: +44 1708347637 Email: shielduk@shielglobal.com