



FIRE PUMP DRIVER ENGINE







UL LISTED & FM APPROVED DRIVER

or further information please visi

HEAT EXCHANGER & RADIATOR TYPE

A fire pump has to start immediately based on demand; NAFFCO brand diesel engines have a reputation for consistent starts and lowest operation and maintenance costs. The NAFFCO brand diesel engines are UL listed as per the requirements stated in NFPA 20 and are designed and manufactured according to UL 1247 standards.

These engines go through stringent quality checks and are run tested for their performance ratings at the factory prior to dispatch, only those engine that pass through our rigorous quality checks will be supplied to our valuable customers

FEATURES

- · Easy maintenance
- Highly reliable and advanced diesel engines
- Durable and long lasting
- Rugged Construction built for heavy-duty purpose.
- Reduced noise emission levels to avoid additional acoustic enclosures
- Precise and accurate instrument control with LCD screen for monitoring the performance and health of the diesel engine
- Cooling system designed as per NFPA 20 for optimal heat transfer in order to maintain the diesel engine in optimum conditions.
- Conforms to UL 1247 standards
- Best economic fuel consumption rate.
- · A very effective and efficient air intake system



MODEL SERIES: FD-H

Engines are rated at standard conditioned as per SAE J1349 testing code.



FD-30H



FD-50H



FD-80H



FD-80R



FD-95H



FD-110R



FD-140H



FD-175H



FD-180H



FD-190H



FD-225H



FD-250H



FD-325H





MODEL SERIES: FD-HN

Engines are rated at standard conditioned as per SAE J1349 testing code.



FD-51HN



FD-86HN



FD-94HN



FD-96HN



FD-121HN



FD-192HN



FD-248HN



FD-268HN



FD-280HN



FD-305HN



FD-335HN



FD-340HN



FD-375HN





MODEL SERIES: FD-HN

Engines are rated at standard conditioned as per SAE J1349 testing code.



FD-412HN



FD-460HN



FD-496HN



FD-617HN



FD-762HN



FD-778HN

680 HP - 1470 RPM	UL LISTED	FM
778 HP - 1760 RPM	-	FM
783 HP - 1760 RPM	(VL)	

FD-878HN



FD-1010HN

881 HP - 1470 RPM	UL LISTED	_
1010 HP - 1760 RPM	UL) LISTED	-

FD-1207HN

1036 HP - 1540 RPM	UL LISTED	FM
1187 HP - 1760 RPM	-	FM
1207 HP - 1760 RPM	UL LISTED	-



MODEL SERIES: FD-Hi

Engines are rated at standard conditioned as per SAE J1349 testing code.



FD-50Hi



FD-70Hi



FD-80Hi



FD-90Hi



FD-110Hi



FD-140Hi



FD-175Hi



FD-190Hi



FD-220Hi







MODEL SERIES: FD-Hi&HT

Engines are rated at standard conditioned as per SAE J1349 testing code.




251 HP (2800 RPM) to 247 HP (3000 RPM) 251 HP - 2800 RPM 249 HP - 2900 RPM 247 HP - 3000 RPM FM 247 HP - 3000 RPM











ENGINE TESTING

OUR ENGINES
TESTED PRIOR
DISPATCH TO
MEET CERTIFIED
PERFORMANCE
RATING



OUR ENGINES
SUBJECTED
TO RIGOROUS TEST
TO ENSURE
RELIABLE
PERFORMANCE



Our manufacturing facility for diesel engine has been assessed against ISO 9001 requirements by UL DQS (Underwriters Laboratories Inc) and BSI (British Standard Institutions).

Our Diesel Engine Test facility is capable of conducting the following tests:

- Endurance Test
- Operational Test
- Continuous Running Test
- Rotational Speed Test
- Load Test





For further information please visit: www.fire-driver.com

CAT.NO: NF/FD-CERT/03/22

Fire Driver is a registered trade mark of National Fire Fighting Manufacturing FZCO. We reserve the right to modify specifications without prior notice